

Bungee Run

Ref: MB11

Date:

Company Name: MegaBounce

Venue:

Activity/Date

Expected Numbers to Attend;

Risk Assessor Name: Wayne Oates

Risk Verifier Name: Gavin Oates

Who at Risk: All

Ride users

Visitors/Spectators

Dependants/Children

Description: Bungee Run

This is an inflatable bungee run which is has an inflatable bed what contenders will have run down with a marker what there have to put on are middle wall to see far they gone before they get pull back by bungee cord. It takes 1 x electrical blower to blow it up. Maximum 2 people is allowed on it at anyone time . To supervising at all times ensure that safety is paramount.

Likelihood		Risk Matrix		
Common, regular or frequent occurrence.	3	3 Med	6 High	9 High
Occasional occurrence.	2	2 Low	4 Med	6 High
Rare or improbable occurrence.	1	1 Low	2 Low	3 Med
Severity		1 Minor injury or illness	2 Serious injury or illness	3 Fatalities, major injury or illness

MEAGBOUNCE
SPECIFIC RISK ASSESSMENT FORMS

Bungee Run						REF:MB11
	Risk	Existing Controls	Likelihood 1-3	Severity 1-3	Risk Score LxS	Further Action to take
Generator and Blower	Electrocution	Electrical units are visually inspected for obvious faults before deployment. All equipment is PAT Tested once a year and cables are covered. Only trained MegaBounce operators will have access.	1	2	2	Any sockets used at the venue, organisers to ensure that they are checked and PAT Tested prior to using.
Bungee Run	Over enthusiastic participants	Trained MegaBounce operators are to ensure supervision and maintain control at all times and a safety brief will be given.	2	1	2	None
Bungee Run	Injury through lack of supervision	Trained MegaBounce operators are to ensure supervision and maintain control at all times and a safety brief will be given.	1	2	2	None
Bungee Run	Jumping on side of the walls	Trained MegaBounce operators are to ensure supervision and maintain control at all times and a safety brief will be given.	2	1	2	None

Bungee Run	Overloading or tipping over	Trained MegaBounce operators will indicate when the activity is at it maximum capacity. No other personnel will be allowed access until the contenders falling off; this is supervised by the operator.	1	1	1	MegaBounce reserves the right to refuse service to anyone they deem as a safety threat.
Bungee Run	Unknown medical condition	Trained MegaBounce operators are to ensure that they ask each individual/parents if they have had any medical history that will impact individuals using the inflatable or anyone who is feeling unwell or suffering the effects of alcohol / drugs. Pregnant women are NOT allowed to use this equipment at any time due to safety reasons.	1	2	2	None
Bungee Run	Adverse weather conditions	The equipment will be switched off in heavy rain and is not permitted to run in strong winds as either of these can be deemed as unsafe weather.	1	2	2	Dynamic RA for prevailing weather condition. Organisers reserve the right to close down the event due to adverse weather conditions.
Bungee Run	Tripping over anchorage points, spare equipment, electrical cables	Anchor points will be used as per manufacturer's instructions in a safe manner and will be set up in a suitable location.	1	1	1	None
Bungee Run	Choking on food	No food or drink or chewing gum is to be allowed on or near the inflatable. This is supervised by a member of MegaBounce staff.	1	2	2	None
Bungee Run	Injury through foreign object	All footwear (shoes, trainers, wellies etc.), glasses,	1	1	1	None

		jewellery, badges must be removed Before using the inflatable.				
Bungee Run	Danger of fire	No smoking on or near the inflatable.	1	1	1	None
Bungee Run	Emergency	In the event that someone is seriously injured, DO NOT moves the individual, leave the inflatable switched on and inform the event safety manager immediately at the Control Point. Organisers have on site medical cover.	1	2	2	None
Bungee Run	Injury of 3 rd party or spectators	Always ensure the area surrounding the inflatable is not overcrowded, this will be supervised by a member of staff at all times.	1	1	1	None
Bungee Run	Injury through lack of inflatable pressure or suffocation	DO NOT allows anyone to be on the inflatable during inflation or deflation as this can be EXTREMELY DANGEROUS . A member of MegaBounce will be supervising at all times.	1	2	2	None
Bungee Run	Children or adults interaction	All MegaBounce staff are First Aid at Work Trained and are in date CRB checked.	1	1	1	None
Bungee Run	Bungee cords breaking or coming unattached from anchor points or belts	All anchor points and belts are checked at regular intervals and are safety tested every 12 months the cords.	1	2	2	None
Bungee Run	Injury caused by contact with other participants	Trained MeagBounce operators are to ensure that a maximum of either 2 x adults	1	2	2	None

		or 2x children are allowed on at any one time.				
Bungee Run	Unruly behaviour	MegaBounce supervisors to issue warning and reserve the right to remove unruly participants or close the inflatable down.	1	1	1	None

NOTE

Due to Covid-19 all equipment will be disinfected before during and after event as well the staff keep eye separations on and off and numders on it at any one time also will monitor 2m rule in queues.